



DISCOVER OUR
NEW STREAMO
KARAVEL **NG**

MARINE FLOORINGS FOR SHIP INTERIORS

NATURLAND • OLD FISHERMAN • INDUSTRIAL • REGATTA • HARBOR

Gerflor[®]
theflooringgroup



NEW

1058 Gentleman Grey

610x610 mm



NEW

1083 Gentleman Taupe

610x610 mm



NEW

0848 Swiss Oak Beige

184x1219 mm



NEW

0796 Swiss Oak Golden

184x1219 mm



NEW

1077 Tatami Savane

610x610 mm



Naturland



Naturland



0577 Albion

184x1219 mm




0817 Northwood Mokaccino

184x1219 mm



0547 Duchess

152x914 mm



0871 Bostonian Oak Brown

184x1219 mm



0855 Bostonian Oak Grey

184x1219 mm




0707 White Teak

102x914 mm



0448 Malua Bay

184x1219 mm



0846 Swiss Oak Pearl

184x1219 mm



0357 Portobello

152x914 mm



0811 Chevron Buckwheat

184x1219 mm



0810 Chevron Moka


184x1219 mm



OLD FISHERMAN



INDUSTRIAL



NEW

0094 Rust Metal

457x914 mm



NEW


0095 Rust Corten

457x914 mm




0360 Deep Forest

152x914 mm



0362 Mystic River

152x914 mm



0541 Flamingo

152x914 mm



NEW

1197 Ebony

184x1219 mm



0259 Natural Oak

152x914 mm




0258 Muir Oak

152x914 mm




0324 Silversands

152x914 mm



0262 Elm

152x914 mm




0265 Walnut

152x914 mm



0339 American Oak

152x914 mm



0705 Teak

102x914 mm



REGATTA



HARBOR



0518 Mugello

457x457 mm



0528 Flagstaff


457x457 mm



0751 Durango Taupe

610x610 mm

NEW



NEW

0618 Carmel

610x610 mm



0475 Bolero

457x457 mm




0512 Lewis Town

457x457 mm

STREAMO KARAVEL NG

LOGOS INLAYS

- 4 standard drawings available in different colour variations
- Custom logos on demand




DECORATIVE STRIP


0330 Silver	914 x 4 mm
0331 Black	914 x 4 mm / 914 x 6 mm
0332 Light Concrete	914 x 4 mm
0333 Dark Concrete	914 x 4 mm
0334 Brown Concrete	914 x 4 mm
0335 White Concrete	914 x 4 mm



EXPLORE THE WORLD OF POSSIBILITIES



STREAMO KARAVEL NG



- 1 PUR surface treatment
- 2 0.55 mm transparent wear layer
- 3 Printed design
- 4 Medium layer
- 5 Back layer

- New IMO Luxury Vinyl Tiles with a 0.55 mm wear layer.
- 35 patterns including 16 new ones with even more realistic designs.
- Improved performances in terms of abrasion, scuffing and stain resistance.
- Easy maintenance.
- Rigid product construction for an easy installation.

			STREAMO KARAVEL NG	
DESCRIPTION				
Total thickness	EN ISO 24346	mm	2.50	
Thickness of the wearlayer	EN ISO 24340	mm	0.55	
Weight	EN ISO 23997	g/m²	4100	
Plank size	EN ISO 24342	cm	45.7 x 91.4 / 61 x61 / 18.4 x 121.9 15.2 x 91.4 / 45.7 x 45.7 / 10.2 x 91.4	
CLASSIFICATION				
Norm/product specification		-	ISO 19322	
Fire rating	IMO Resolution	-	MSC 307(88) Part 5	
			MSC 307(88) Part 2	
	Maritime Approvals	-	Marine Equipment Directive	
			US Coast Guard	
			Transport Canada	
			SOLAS 74	
Static electrical propensity		EN 1815	kV	< 2
PERFORMANCE				
Wet Slip resistance	DIN 51130	class	R10*	
Castor chair test	ISO 4918	-	OK	
Dimensional stability (norm)	EN ISO 23999	%	≤ 0.25	
Dimensional stability (average measured value)	EN ISO 23999	%	≤ 0.15	
Residual indentation	EN ISO 24343-1	mm	≤ 0.10	
Thermal conductivity	EN ISO 10456	W/(m.K)	0.25	
Colour fastness	EN 20 105 - B02	degree	≥ 6	
Chemical resistance	EN ISO 26987	-	OK	
Surface treatment	-	-	PUR	
TVOC after 28 days	ISO 16000-6	µg/ m³	< 10	

* All designs are R10 according to DIN 51130 except Design Chevron (R9)





STREAMO

MARINE FLOORINGS FOR SHIP INTERIORS

43, Boulevard Garibaldi
69170 Tarare - France
Tel.: +33 4 74 05 40 00
Fax: +33 4 74 05 06 83
Email: streamo@gerflor.com
www.streamobygerflor.com



Gerflor[®]
theflooringgroup